



Product Information

BKT InCab industrial rack cabinet, IP54 19" 42U RAL7035 (front/back door: metal sheet/glass, steel profile), without one side wall

No. Card PI_110A26xx_01.17







Application

- For indoor installation
- Protection of mounted active and passive devices against unauthorized access
- Protection of mounted devices against adverse ambient factors (dust, oil, etc.)

Standards

- · RoHS Restriction of dangerous substances penetrating to the environment from electrical and electronic equipment waste
- EN ISO 9001:2008 Quality management
- EN ISO 14001:2004 Environmental management
- PN-EN 60529 Degrees of protection provided by enclosures (IP code)

www.bkte.pl



Product Information

BKT InCab industrial rack cabinet, IP54 19" 42U RAL7035 (front/back door: metal sheet/glass, steel profile), without one side wall

No. Card PI 110A26xx 01.17

Features

- Two sets of 19" 42U mounting profiles
- Removable sectional floor with a foam-sealed cable penetration
- Three point closing system
- Handles with inserts, code 1333
- One side wall included (second wall: optional accessory)
- 100mm tall pedestal with knock-out cable penetration blanks
- Max. static load: 1500kg
- The door can be mounted right and left
- The ability to connect cabinets in series after the use of dedicated mounting elements
- Roof with blanc for a foam-sealed cable penetration and lifting lug installation
- Door opening angle: ca. 270°
- · All parts electrically bonded

Construction

- Galvanised steel sheet
- Steel section frame
- Metal sheet/glass front/back door
- Two component polyurethane gasket (hot melt foamed-in-place)
- RAL7035 colour
- IP54 protection degree

Optional accessories

- $\bullet \qquad 110 \text{A524x} \text{Side wall for industrial cabinet BKT InCab 42U RAL7035 with mounting screws}$
- 10352148—BKT heater 400 CSL-028-400W/230VAC
- 10352119—BKT thermostat TRT-10A230V-NC, -10°C/+80°C for heaters
- 10352167—BKT ETF 012 electronic higroterma (with thermostat) (6A,250V-NC , 0° C/ 60° C)
- 10352123—BKT thermostat TRT-10A230VAC-NO, -10°C/+80°C (fandis)
- 110A9300—BKT fan with filter RAL7032 FPF08KR230BE-110
- 110A9301—BKT outlet filter RAL7035 FPF08KUG-100
- 110A9xxxx—Air conditioners series EGO ora EMO





Product Information

BKT InCab industrial rack cabinet, IP54 19" 42U RAL7035 (front/back door: metal sheet/glass, steel profile), without one side wall

No. Card PI_110A26xx_01.17

Performance/Variants

Indeks	Туре	Width (mm)	Depth (mm)	Height (mm)
110A2610	42U	600	600	2086
110A2611	42U	600	800	2086
110A2612	42U	600	1000	2086
110A2613	42U	800	600	2086
110A2614	42U	800	800	2086
110A2615	42U	800	1000	2086