



Delock Optical 3-button mouse 2.4 GHz wireless white / rose gold

Description

This wireless mouse by Delock is connected to the computer via the compact USB receiver. During transport it can be placed inside the battery compartment at the bottom of the mouse. The 2.4 GHz wireless technology provides a maximum operating range of up to 20 meters. Its flat design makes the mouse a perfect companion during travel.



Specification

- Connector: 1 x USB 2.0 Type-A male
- Compact nano USB receiver
- For right and left handers
- · Compact design, ideal during travel
- 3 power saving modes
- 2 standard buttons, 1 scroll wheel
- · On / Off switch
- · Sensitivity: 1600 dpi
- Polling rate: 250 Hz
- Bandwidth: 2.4 GHz, operating range up to 20 m
- Operating temperature: 0 °C ~ 40 °C
- Operating humidity: ≤ 90 %
- · Current consumption: max. 6 mA
- Plug & Play
- Battery: 2 x AAA (included in the package content)
- Dimensions (LxWxH):

Mouse: ca. 114 x 57 x 22 mm USB receiver: ca. 18 x 15 x 7 mm

· Weight:

Mouse (incl. battery): ca. 74 g

USB receiver: ca. 2 g

· Colour: glossy white / pink metallic

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, ex Linux Kernel 2.6, ex Mac OS 10.9
- PC or laptop with a free USB Type-A port

Package content

- Mouse
- USB receiver
- 2 x AAA battery
- User manual

Item no. 12536

EAN: 4043619125364

Country of origin: China

Package: Retail Box





Images













General	
Function:	standard
	Plug & Play
Style:	standard
	Right and left handers
Interface	
connector:	standard
	1 x USB 2.0 Type-A male
Technical characteristics	
Bandwidth:	standard
	2,4 GHz
Operating temperature:	standard
	0 °C ~ 40 °C
Battery type:	standard
	2 x AAA
Operating range:	standard
	20 m
Current consumption:	standard
	max. 6 mA
Sensibility:	standard
	1600 dpi
Power saving modes:	standard
	3
Physical characteristics	
Housing colour:	standard
	glossy white / pink metallic
Weight:	standard
	74 g
Length:	standard
	114 mm
Width:	standard
	57 mm
Height:	standard
	22 mm
Buttons:	standard
	2 standard buttons, 1 scroll wheel