

Delock USB Charger 2 x USB Type-C™ PD + 2 x USB Type-A with 112 W

Description

This **USB Power Delivery (PD)** charger by Delock can be used to charge laptops with **USB Type-C™** connector. It provides **two ports** with various voltages from 5 V to 20 V and power **up to 100 watt**. In addition, two USB Type-A connectors for other devices are available.



Item no. 41440

EAN: 4043619414406

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 2 x USB Type-C™ female
 - 2 x USB Type-A female
 - 1 x IEC-60320-C8 connector
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 2.0 A
- Output:
 - USB-C™ 5.0 V / 9.0 V / 15.0 V 3.0 A, 20.0 V 5.0 A (max. 100.0 W)
 - USB-A 5.0 V 2.4 A (max. 12.0 W)
- Output power: max. 112.0 W total
- Average active efficiency 90.47 %
- Efficiency at low load (10 %) 83.22 %
- No-load power consumption 0.089 W
- Overload protection
- Over current protection
- Overheating protection
- Short circuit protection
- Colour: black
- Dimensions (LxWxH): ca. 98.5 x 80.0 x 30.5 mm

Package content

- USB charging station
- Cable USB-C™ male to USB-C™ male, length ca. 1 m
- Power cord, length ca. 1.2 m
- User manual

Images



Physical characteristics

| | |
|-----------------|---------|
| Housing colour: | black |
| Length: | 98.5 mm |
| Width: | 80.0 mm |
| Height: | 30.5 mm |

Power supply

| | |
|------------|--|
| Type: | Power supply with IEC connector |
| Input: | AC 100 - 240 V / 50 - 60 Hz / 2.0 A |
| Output: | 15.0 V / 3.0 A 5.0 V / 3.0 A 9.0 V / 3.0 A 20.0 V / 5.0 A |
| Connector: | 2 x USB Type-A female 2 x USB Type-C™ female |