Product updated on October 22, 2018

CAT5E UTP Keystone Jack Punch Down





Category 5e RJ45 keystone jacks exceed the transmission line performance requirements of IEC and TIA for CLASS D/Category 5e systems. The jacks have been designed for mechanical and electrical reliability, using quality materials, to deliver a jack solution that optimizes the termination process through the use of a universal wiring block.

FEATURES/BENEFITS

- Colour coded wiring blocks assist termination
- Universal wiring block accommodates both 110 and LSA tools
- Fits all keystone style face plates and floor boxes
- Suitable for modular patch panel installation

APPLICATIONS

- 1000BASE-T (Gigabit Ethernet)
- ATM-155
- 100BASE-Tx
- Token Ring 100Mbs-1
- 1G FCBASE-T
- IEC 60603-7-Pt 2 (unscreened) compliant
- ISO/IEC 11801 (2nd Edition):2010 compliant
- Class D/category 5e standards compliant

SPECIFICATIONS

- Jack contacts: 750 plug insertion cycles minimum Wiring block: 250 termination cycles minimum
- 30µm gold plated contact pins
- Terminates 22AWG to 26AWG cables
- Electrically compliant beyond 100MHz
 Supports TIA 568 A & B wiring configurations
- REACH / SvHC compliant regulation (EC) No. 1907/2006

ORDERING INFORMATION

DESCRIPTION	PART NO.
AFL Hyperscale® CAT5E UTP Keystone Jack Punch Down White 30µm gold plated	500-118
AFL Hyperscale® CAT5E UTP Keystone Jack Punch Down Black 30µm gold plated	500-119



FURTHER INFORMATION

- For additional information please contact your sales representative
- To view the product 360 visit the product page (Scan the QR code or visit the link below)
- Downloaded from https://www.aflhyperscale.com/product/cat-5e-utp-keystone-jacks-punch-down
- AFL Hyperscale reserves the right to make changes in this datasheet at any time without notice
- Information in this document is correct as of October 22, 2018

SCAN QR FOR PRODUCT PAGE

India

+44 (0) 1908 441 144 emeasales@aflhyperscale.com © AFL Hyperscale 2018 +1 800 790 9932 usasales@aflhyperscale.com