

Delock Adapter USB 2.0 Type-A > 1 x Serial DB9 RS-232 + Adapter DB25

Description

This adapter by Delock enables the connection of a serial device via a USB Type-A port.



1,80 m

Specification

- Connectors:
 - Cable:
 - 1 x USB 2.0 Type-A male >
 - 1 x serial RS-232 DB9 male
 - Adapter:
 - 1 x serial RS-232 DB9 female >
 - 1 x serial RS-232 DB25 male
- Chipset: FTDI
- Serial connector with screw
- Data transfer rate: more than 1 Mbps
- Cable length: ca. 1.8 m

Item no. 61308

EAN: 4043619613083

Country of origin: China

Package: Retail Box

System requirements

- Windows Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB port

Package content

- USB 2.0 to 1 x serial adapter
- Adapter DB9 to DB25
- Driver CD
- User manual

Images



General	
Function:	standard Plug & Play
Specification:	standard RS-232 USB 1.1 USB 2.0
Supported operating system:	standard Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Windows Server 2008 R2 Windows Server 2012 R2 Windows Server 2012 Windows Server 2016 ex Linux Kernel 2.6.x ex Mac OS 10.9
Interface	
Connector 1:	standard 1 x USB 2.0 Type-A male
Connector 2:	standard 1 x Serial RS-232 DB9 male
Technical characteristics	
Chipset:	standard FTDI FT232RL
Data transfer rate:	standard up to 921.6 Kbps
FIFO:	standard 128 byte 256 Byte
Signal transmission:	standard TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
Data transmission:	standard asynchronous full duplex
Current consumption:	standard 20 mA
UART:	standard USB to serial UART
Physical characteristics	
Cable colour:	standard transparent



Cable length incl. connector:	standard 1.8 m
Pin finishing:	standard gold-plated
Screw type:	standard #4-40 UNC
Shielding:	standard double
Colour:	standard black