



Delock Audio Splitter USB Type- C^{TM} to 2 x stereo jack female plastic

Description

This Audio Splitter by Delock allows the connection of two audio output devices, such as headphones or speakers, to a device with a USB Type-CTM or ThunderboltTM 3 socket. The audio signal is transmitted in stereo to both output devices, e.g. two people can listen to the same music at the same time.

Digital Hi-Res Audio

Thanks to the integrated chipset, the audio signals are transmitted in crystal-clear Hi-Res sound quality.



Note

The USB Type-CTM interface of the device has to support the output of audio signals (USB ADC specification).

Specification

- · Connectors:
- 1 x USB Type-CTM male >
- 2 x 3.5 mm 3 pin stereo jack female
- Chipset: Realtek ALC4042
- USB 2.0 specification
- USB Audio Device Class 1.0 / 2.0 specification
- · Supports Digital Hi-Res Audio
- Signal-to-noise ratio (SNR): ca. 98 dB
- Frequency range: 20 Hz 40 kHz
- \bullet Supported sample rates: 16 / 24 / 32 Bit, 44.1 / 48 / 96 / 192 / 384 kHz (depending on the system and the connected hardware)
- Housing material: plastic
- · Contacts gold-plated
- Colour: black
- Dimensions (LxWxH): ca. 36 x 30 x 9 mm
- · Cable length without connectors: ca. 15 cm
- Plug & Play

System requirements

- · Android 6.0 or above
- iOS 13.4.1 or above
- · Linux Kernel 4.3 or above
- Mac OS 10.15.2 or above
- Windows 10/10-64
- Device with a free USB Type-C[™] port or with a free Thunderbolt[™] 3 port

Package content

Audio adapter

Item no. 66563

EAN: 4043619665631

Country of origin: China

Package: Retail Box





Images









General	
Specification:	standard
	USB 2.0
	USB Audio Device Class 1.0
	USB Audio Device Class 2.0
Supported operating system:	standard
	Android 6.0 or above
	Windows 10 32-bit
	Windows 10 64-bit
	Linux Kernel 4.3 or above
	Mac OS 10.15.2 or above
	iOS 13.4.1 or above
Interface	
Connector 1:	standard
	1 x USB 2.0 Type-C male
Connector 2:	standard
	2 x 3.5 mm 3 pin stereo jack female
Technical characteristics	
Chipset:	standard
	Realtek ALC4042
Sample rate:	standard
	16 / 24 / 32 Bit, 44,1 / 48 / 96 / 192 / 384 kHz
Signal noise ratio (SNR):	standard
	98 dB
Physical characteristics	
Housing material:	standard
	Plastic
Cable length:	standard
	15 cm
Pin finishing:	standard
	gold-plated
Length:	standard
	36 mm
Width:	standard
	30 mm
Height:	standard
	9 mm
Colour:	standard
	black