



# Delock High Speed HDMI Cable 48 Gbps 8K 60 Hz 1 m

## Description

This high-quality High Speed HDMI cable by Delock can be used to connect devices with an HDMI interface, such as televisions, Blu-ray players, monitors or projectors. By supporting a maximum bandwidth of 48 Gbps, content can be displayed in 8K Ultra HD (7680 x 4320 @ 60 Hz) resolution.

#### Dynamic HDR and Dolby® Vision support

Supporting Dynamic HDR and Dolby® Vision, the cable is ideal for home cinema and gaming applications. Colours are realistically displayed with impressive depth, brightness and contrast are optimally reproduced.

#### Perfect sound with eARC support

The Delock HDMI cable supports Enhanced ARC (eARC). This allows HDMI devices such as Blu-ray players to be connected directly to the TV. The uncompressed audio signals are then transmitted directly and lossless to the connected sound system via the audio return channel.

### Specification

- Connectors:
- 1 x HDMI-A male >
- 1 x HDMI-A male
- Cable gauge: 30 AWG
- · Cable diameter: ca. 6 mm
- Copper conductor
- Triple shielded cable
- Contacts gold-plated
- · Transmission of audio and video signals
- Data transfer rate up to 48 Gbps
- Resolution up to: 7680 x 4320 @ 60 Hz
  5120 x 2880 @ 120 Hz
  3840 x 2160 @ 240 Hz
  (depending on the system and the set of the set of the set of the system and the set of the
- (depending on the system and the connected hardware) • 3D support: up to 3840 x 2160 @ 120 Hz
- (depending on the system and the connected hardware)
- Supports the 21:9 cinema aspect ratio
- Supports 1080p HFR (High Frame Rate) 3D
- Supports colour sampling in 4:4:4, 4:2:2 and 4:2:0 format
- Supports Display Stream Compression 1.2 (DSC)
- Supports Dolby® Vision
- Supports Dynamic HDRSupports Game Mode VRR
- Supports came in
   Supports eARC
- Up to 32 audio channels for speakers
- Up to 1536 kHz audio sampling rate
- Supports Dolby® TrueHD and DTS-HD Master Audio™
- · Supports dynamic adjustment of lip synchronicity for audio / video delays
- Supports CEC 2.0 control commands
- Colour: black
- Length incl. connectors (L): ca. 1 m
- System requirements
- A free HDMI interface

Package content

High Speed HDMI cable





ltem no. 85293

EAN: 4043619852932

Country of origin: China

Package: Retail Box



## Images





© 2020 by Tragant. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.

www.tragant.de 85293







General	
Specification:	standard
	Ultra High Speed HDMI
	Dolby® Vision
	Dynamic HDR
Interface	
Connector 1:	standard
	1 x HDMI-A male
Connector 2:	standard
	1 x HDMI-A male
Technical characteristics	
Data transfer rate:	standard
	48 Gb/s
Maximum screen resolution:	standard
	7680 x 4320 @ 60 Hz
Physical characteristics	
Cable diameter:	standard
	6 mm
Pin finishing:	
	standard
	gold-plated
Conductor material:	
	gold-plated standard copper
Conductor material: Conductor gauge:	gold-plated standard copper standard standard
	gold-plated standard copper
	gold-plated standard copper standard standard
Conductor gauge: Shielding:	gold-platedstandardcopperstandard30 AWGstandardtriple
Conductor gauge:	gold-plated         standard         copper         standard         30 AWG         standard         itriple         standard
Conductor gauge: Shielding: Length:	gold-platedstandardcopperstandard30 AWGstandardfripletriple1 m
Conductor gauge: Shielding:	gold-plated         standard         copper         standard         30 AWG         standard         itriple         standard