



# Delock WLAN 802.11 ac/a/b/g/n Antenna N plug 4.5 - 7.0 dBi omnidirectional fixed outdoor white

## Description

This Wireless LAN antenna can be connected to a WLAN device with N interface, in order to send and receive signals.



N Stecker

## Specification

- Connector: N plug
- Frequency range:  
2.400 - 2.500 GHz  
5.150 - 5.875 GHz
- Antenna gain:  
4.5 dBi @ 2.400 - 2.500 GHz  
7.0 dBi @ 5.150 - 5.875 GHz
- Impedance: 50 Ohm
- Polarisation: linear, vertical
- VSWR: 2.0
- Operating temperature: -10 °C ~ 55 °C
- Housing material: GFRP UV resistant
- Length: ca. 220 mm
- Diameter:  
ca. 21.00 mm (top)  
ca. 21.00 mm (N)
- Maximum Transmission power: 2 W
- Maximum wind speed: 216 km/h
- Splash proof

## System requirements

- Device with a free N jack

## Package content

- WLAN antenna

## Item no. 88822





EAN: 4043619888221

Country of origin: Taiwan, Republic of China

Package: Retail Box



Images





Interface	
connector:	<b>standard</b> N plug
Technical characteristics	
Frequency range:	<b>standard</b> 2.400 - 2.500 GHz 5.150 - 5.875 GHz
Gain:	<b>standard</b> 4,5 dBi @ 2.400 - 2.500 GHz 7.0 dBi @ 5.150 - 5.875 GHz
Impedance:	<b>standard</b> 50 $\Omega$
Operating temperature:	<b>standard</b> -10 °C ~ 55 °C
Polarisation:	<b>standard</b> linear vertical
Power handling:	<b>standard</b> 2 W
VSWR:	<b>standard</b> 2.0
Physical characteristics	
Housing material:	<b>standard</b> GFRP UV resistant
Length:	<b>standard</b> 220 mm
Diameter connector:	<b>standard</b> 21.00 mm