


## Mod. 2717.G

### COPOLYMER POLYPROPYLENE WATERPROOF CASE

Protective cases for delicate gear. High thickness body material. Corrosion-proof, sand and dust proof. Resistant to chemicals. PVC name tag.



METRIC MM-KG-C°



#### INTERNAL DIMENSIONS

|                 |        |
|-----------------|--------|
| <b>L LENGTH</b> | 276 mm |
| <b>W WIDTH</b>  | 200 mm |
| <b>D DEPTH</b>  | 170 mm |
| <b>LID</b>      | 35 mm  |
| <b>BASE</b>     | 135 mm |


#### EXTERNAL DIMENSIONS

|                 |        |
|-----------------|--------|
| <b>L LENGTH</b> | 305 mm |
| <b>W WIDTH</b>  | 270 mm |
| <b>D DEPTH</b>  | 194 mm |

#### OTHER DATA

|                                |                        |
|--------------------------------|------------------------|
| <b>WEIGHT EMPTY</b>            | 1.93 Kg                |
| <b>WEIGHT WITH FOAM</b>        | 2.12 Kg                |
| <b>WEIGHT WITH CUSTOM FOAM</b> | Kg                     |
| <b>VOLUME</b>                  | 9.30 lt                |
| <b>BUOYANCY</b>                | 6.70 Kg/max            |
| <b>OPERATING TEMPERATURE</b>   | °C min '-33 / max '+90 |

IMPERIAL IN-LBS-F°



#### INTERNAL DIMENSIONS

|                 |            |
|-----------------|------------|
| <b>L LENGTH</b> | 10 7/8 in  |
| <b>W WIDTH</b>  | 7 7/8 in   |
| <b>D DEPTH</b>  | 6 11/16 in |
| <b>LID</b>      | 1 3/8 in   |
| <b>BASE</b>     | 5 5/16 in  |

#### EXTERNAL DIMENSIONS

|                 |           |
|-----------------|-----------|
| <b>L LENGTH</b> | 12 in     |
| <b>W WIDTH</b>  | 10 5/8 in |
| <b>D DEPTH</b>  | 7 5/8 in  |

#### OTHER DATA

|                                |                           |
|--------------------------------|---------------------------|
| <b>WEIGHT EMPTY</b>            | 4.25 lbs                  |
| <b>WEIGHT WITH FOAM</b>        | 4.67 lbs                  |
| <b>WEIGHT WITH CUSTOM FOAM</b> | lbs                       |
| <b>VOLUME</b>                  | 2.37 gal                  |
| <b>BUOYANCY</b>                | 14.77 lbs/max             |
| <b>OPERATING TEMPERATURE</b>   | °F min '-27.4 / max '+194 |

## FEATURES



**CORROSION PROOF METAL HINGES WITH LID STAY FEATURES**



### **INTERNAL SLOTS**

Internal slots for optional panel mounting brackets or panel mounting rings



### **LATCH**



### **SEALING O-RING**

(Art. NEOSEAL + nr. art.)



### MANUAL PRESSURE RELEASE VALVE

The internal stop ring prevents valve from being completely extracted (Art. PURGEVALVE.B)



### PVC WATERPROOF I. D. REMOVABLE LABEL

(Art. LABELCOVER + nr. art.)



### LID CAN BE SET TO SLIDE-OFF

By releasing the back screw, lid becomes set to slide-off when opened at 70°



### COUNTERBALANCE SUPPORTS

(in certain models)

## ACCESSORIES



### **PADDED DIVIDER FOR 2717**

DIV2717

Padded dividers with internal adjustable partitions. Ideal to protect and transport any kind of sensitive equipment. Thanks to their modularity, they can be easily combined.



### **LID PANEL WITH ORGANIZED POUCHES**

PANEXPL27

Practical and robust lid panel with pouches, ideal for small accessories and documents. Suitable for cases 2712 and 2717. Color: black.



### **PADDED BAG WITH ADJUSTABLE DIVIDERS**

BAG-S

Highly durable padded bag with rubber coated handle and waterproof zipper with lockable Velcro pull zipper. Practical external front pouch for documents, removable shoulder strap and rubber feet on the bottom to grant better grip. Internal adjustable padded dividers for flexible configuration. Ideal to protect sensitive equipment (ie electronic, photographic, broadcasting, medical etc.). Suitable for case 2717. Color: black/red.



### **PANEL RING FOR CASE 2712 AND 2717**

PANRING27.USA

Includes Imperial system fixing screws. User friendly panel frames, they can be used to fix several kind of panels, from plastic to aluminum ones. Equipped with an additional gasket (which will be squeezed in between the panel and the frame) they can provide the case with a perfect instrumentation surface and a further humidity and dust resistance when the case is used in the field. Completely removable, resistant and light, these panel rings help to transform the Explorer cases into practical workstations.



### **PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS**

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



### **PATENTED COMBINATION PADLOCK**

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



### **BLIND INSERT**

KIT.EXPL.PLUGS

Kit includes 6 pcs. Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.



### **TSA APPROVED PADLOCK WITH COMBINATION**

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case without destroying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.





### METAL BRACKET - KIT SUPP. EXPL

KIT SUPP.EXPL.

KIT SUPP. EXPL - Kit includes 6 pcs. All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



### PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs. All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



### FOAM SET FOR CASE 2717

FOAM.2717

Layers of pre cubed foam for the bottom and convoluted foam for the lid. The pre-cubed foam allows the user to tailor the insert to their own individual requirement. The convoluted foam in the lid helps to firmly keep the stored equipment when the case is closed. Available for 2717 model. Color: dark grey. [DOWNLOAD PDF](#)



### CONVOLUTED FOAM SET FOR CASE 2712 AND 2717

LIDFOAM.27

(includes 2 pcs.)



## PANEL RING FOR CASE 2712 AND 2717

### PANRING27

Includes Metric system fixing screws. User friendly panel frames, they can be used to fix several kind of panels, from plastic to aluminum ones. Equipped with an additional gasket (which will be squeezed in between the panel and the frame) they can provide the case with a perfect instrumentation surface and a further humidity and dust resistance when the case is used in the field. Completely removable, resistant and light, these panel rings help to transform the Explorer cases into practical workstations.

## SPARE PARTS



### **Polyurethane o-ring seal for models 2712 and 2717**

KIN.0847

Includes:  
1 o-ring



### **Name tag holder for mod. 2712-2717-3317-3317W-3818-5117-5122-MUB78**

KIN.0496

Includes: 1 transparent name tag holder



### **Latch for models from 2712 to 3317W**

KIN.0429

Includes: 1 military green latch 1 fixing pin



### **Latch for models from 2712 to 3317W**

KIN.0439

Includes: 1 black latch 1 fixing pin





**Manual pressure release valve for models from 2712 up (except mod. 3005)**

KIN.0495

Includes: 1 black purge valve (+ o-ring + pin) 1 threaded bush 1 snap ring (Seeger)



**Latch for models from 2712 to 3317W**

KIN.0437

Includes: 1 orange latch 1 fixing pin



**Handle for model from 2712 to 3317W**

KIN.0465

Includes: 1 military green handle 2 fixing pins



**Handle for models from 2712 to 3317W**

KIN.0475

Includes: 1 black handle 2 fixing pins



**Handle for model from 2712 to 3317W**

KIN.0473

Includes: 1 orange handle 2 fixing pins