

# Delock External Enclosure for 5.25" Slot-in Slim SATA Drives 9.5 / 12.7 mm to USB Type-A male black

## Description

This enclosure by Delock is an external solution for different Slot-in Slim SATA drives with 9.5 or 12.7 mm height, e.g. DVD-ROM, DVD±RW, Blu-ray etc. Thus the built-in drive will be converted into a mobile drive. The enclosure is connected to the computer or laptop via the USB Type-A plug.



**Item no. 42604**

EAN: 4043619426041

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - external:
    - 1 x USB 3.0 Type-A male
  - internal:
    - 1 x Slim SATA 13 pin receptacle
- Chipset: Initio INIC-3639
- For Slim SATA drives up to 12.7 mm height
- Supports DVD±RW, DVD-ROM, CD-RW, CD-ROM, Blu-ray
- Hot Swap, Plug & Play
- No external power supply needed
- Housing material: plastic
- Colour: black
- Cable length: ca. 28 cm
- Dimensions (LxWxH): ca. 143 x 139 x 16 mm

## System requirements

- Linux Kernel 2.6.38 or above
- Mac OS 10.9.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

---

## Package content

- External enclosure
- User manual

---

## Images



## General

|                             |                                                                                                                                                                                      |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Function:                   | Hot Swap<br>Plug & Play                                                                                                                                                              |
| Supported operating system: | Linux Kernel 2.6.38 or above<br>Mac OS 10.9.5 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit |

## Interface

|           |                                 |
|-----------|---------------------------------|
| External: | 1 x USB 5 Gbps Type-A male      |
| Internal: | 1 x Slim SATA 13 pin receptacle |

## Technical characteristics

|                     |                  |
|---------------------|------------------|
| Chipset:            | Initio INIC-3639 |
| Data transfer rate: | 5 Gbps           |

## Physical characteristics

|                   |         |
|-------------------|---------|
| Housing material: | Plastic |
| Length:           | 143 mm  |
| Width:            | 139 mm  |
| Height:           | 16 mm   |
| Colour:           | black   |

## Herstellerinformation

|         |                   |
|---------|-------------------|
| Strasse | Beeskowdamm 13/15 |
| PLZ     | 14167             |
| Ort     | Berlin            |
| Land    | Deutschland       |
| E-Mail  | info@delock.de    |

Webseite [www.delock.de](http://www.delock.de)