

# Delock RJ45 Network Cable Cat.8.1 S/FTP 15 m up to 40 Gbps black

## Description

This GHMT certified network cable by Delock can be used to connect various devices and is suitable for 40GBASE-T Ethernet applications with a frequency of 2 GHz and a data transfer rate of up to 40 Gbps.



**Item no. 80238**

EAN: 4043619802388

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x RJ45 plug
  - 1 x RJ45 plug
- Cat.8.1 specification
- GHMT certified
- Data transfer rate up to 40 Gbps
- Shielded (S/FTP)
- Pair in metal foil (PiMF)
- Cable gauge: 24 AWG
- Environmental temperature: -20 °C ~ 75 °C
- Cable diameter: ca. 7.5 mm
- Colour: black
- Material: TPE / LSZH (halogen-free)
- Length incl. connectors: ca. 15 m

## System requirements

- A free RJ45 jack

---

## Package content

- Patch cable

---

## Images



## General

|                |          |
|----------------|----------|
| Specification: | Cat. 8.1 |
|----------------|----------|

## Interface

|              |               |
|--------------|---------------|
| Connector 1: | 1 x RJ45 male |
| Connector 2: | 1 x RJ45 male |

## Technical characteristics

|                        |                |
|------------------------|----------------|
| Operating temperature: | -20 °C ~ 75 °C |
|------------------------|----------------|

## Physical characteristics

|                 |          |
|-----------------|----------|
| Cable gauge:    | 24 AWG   |
| Material:       | TPE-LSZH |
| Length:         | 15 m     |
| Colour:         | black    |
| Cable diameter: | 7.5 mm   |

## Manufacturer information

---

|             |                                                  |
|-------------|--------------------------------------------------|
| Street      | Beeskowdamm 13/15                                |
| Postal code | 14167                                            |
| City        | Berlin                                           |
| Country     | Deutschland                                      |
| E-Mail      | E-Mail                                           |
| Website     | <a href="http://www.delock.de">www.delock.de</a> |