

CSB06 Compact Termination Box



The compact termination box is designed for use in residential and business applications for the termination of up to four fibers. The wall box enables the installation of either a single Blown Tube cable using up to a 4 fiber blown unit or two 2 fiber ruggedised cables to be spliced to four SC pigtails (PC or APC), which connect to adapters at the base of the unit. The unit can be quickly installed within an office, house or communication room environment.

FEATURES/BENEFITS

- Ability to allow cables to enter from rear or bottom of the unit
- All fibers are positively managed to maintain a 30mm minimum bend radius
- Tamperproof cover,
- Unit manufactured from fire resistant UL94-V0 rated material
- Patchcords exit unit on bottom face and are protected by two protective covers
- Ergonomic design
- Optional removable rear entry cable management
- Flip tray to allow access to pigtails and cable entry
- Removable cover for easy access
- Standard color white. Other colors available on request

SPECIFICATIONS

Number of splice trays		1
Maximum fiber capacity		4 Fibers
Maximum cable diameter		10 mm
Maximum no. of customer feeds		4 Patch Cords
Required space envelope		(h) 80 x (w) 120 x (d) 25
Operating temperature		-20°C to + 50°C (5 to 95% RH)
Material	Cap	FR High Impact Polystyrene
	Base	FR High Impact Polystyrene
	Splitter trays	FR High Impact Polystyrene
Packing dimensions		(w) 100 x (h) 150 x (d) 50 mm
Packed weight		0.16 kg
Net weight		0.1 kg
Testing	Optical	Tested 1310nm,1550nm and 1625nm
	Dry heat	BS EN 60068-2-2 Test Bb
	Damp heat	IEC 60068-2-3: 1969
	Change of temperature	IEC 60068-2-14: 1984
	Vibration	IEC 60068-2-6: 1995
	Shock	IEC 60068-2-27: 1987

ORDERING INFORMATION

PART NUMBER	DESCRIPTION	LEGACY PART NUMBER
FXFAXXWXXX-06AB-05ABFTTH	Customer Outlet White Compact 2 Port (SCD) (Splice Trays)	CSB06



SCAN QR FOR PRODUCT PAGE

FURTHER INFORMATION

- For additional information please contact your sales representative
- To view the product 360 visit the product page (Scan the QR code or visit the link below)
- Downloaded from <https://www.aflhyperscale.com/product/csb06-compact-termination-box>
- AFL Hyperscale reserves the right to make changes in this datasheet at any time without notice
- Information in this document is correct as of September 16, 2019

Europe

+44 (0) 1908 441 144
emeasales@aflhyperscale.com
© AFL Hyperscale 2019

Americas

+1 866 814 8615
usasales@aflhyperscale.com

Middle East & Africa

+971 4 404 9606
mesales@aflhyperscale.com

India

+91 80 46874687
indiasales@aflhyperscale.com

Asia Pacific

+86 755 2561 3694
apacsales@aflhyperscale.com